- evoked potentials and single unit responses, 1, 257-268.
- 27: KIELY, P.M., CREWTHER, S.G., NATHAN, J., BRENNAN, N.A., EFRON, N., AND MADIGAN, M., (1987), A comparison of ocular development of the cynomolgus monkey and man, 1, 269–280.
- 28: WOLFE, J.M., (1987), Measurement of chromatic aberration of the human eye: a fast and simple method, 1, 281–186.

Volume 1: Number 4

- 29: SIMON, F., AND RASSOW, B., (1987), Measurement of spatial interaction and visual acuity using visual evoked potentials elicited by simultaneous multifrequency stimulation, 1, 287–302.
- 30: MULLEN, K.T., AND PLANT, G.T., (1987), Anomalies in the appearance of colours and of hue discrimination in optic neuritis, 1, 303-316.
- DRASDO, N., AND COX, W., (1987), Local luminance effects of degraded pattern stimulation, 1, 317–325.
- 32: WATTAM-BELL, J., BRADDICK, O., ATKIN-SON, J., AND DAY, J., (1987), Measures of infant binocularity in a group at risk for strabismus, 1, 327–336.
- DIETERICH, M., AND BRANDT, TH., (1987), Impaired motion perception in congenital nystagmus and acquired ocular motor palsy, 1, 337–345.
- 34: Ellis, C.J.K., Allen, T.G.J., Marsden, C.D., and Ikeda, H., (1987), Electroretinographic abnormalities in idiopathic Parkinson's disease and the effect of levodopa administration, 1, 347-355.
- 35: KANDEL, G.L., BEDELL, H.E., WALKER, R., AND WOLF, B.M., (1987), Negative phototaxis in pigmented, albinotic and RCS rat pups measured with a new technique, 1, 357–366.
- 36: WILLIAMS, M.C., BRANNAN, J.R., AND LAR-TIGUE, E.K., (1987), Visual search in good and poor readers, 1, 367–371.

Volume 2: Number 1

- 37: OREL-BIXLER, D.A., AND NORCIA, A.M., (1987), Differential growth of acuity for steadystate pattern reversal and transient pattern onsetoffset VEPs, 2, 1–9.
- 38: MOSKOWITZ, A., SOKOL, S., AND HANSEN, V., (1987), Rapid ass ment of visual function in pediatric patients using pattern VEPs and acuity cards, 2, 11-20.
- 39: BEDELL, H.E., ABPLANALP, P.L., AND MCGUIRE, C.A., (1987), Oculomotor responses to target displacements by patients with congenital idiopathic nystagmus and nystagmus associated with albinism, 2, 21–31.

- 40: Hainline, L., de Bie, J., Abramov, I., and Camenzuli, C., (1987), Eye movement voting: a new technique for deriving spatial contrast sensitivity, 2, 33-44.
- 41: LAWSON SEBRIS, S., DOBSON, V., McDON-ALD, M.-A., AND TELLER, D.Y., (1987), Acuity cards for visual acuity assessment of infants and children in clinical settings, 2, 45–58.
- 42: SOKOL, S., HEDGES III, T.R., AND MOSKOWITZ, A., (1987), Pattern VEPs and preferential looking acuity in infantile traumatic blindness, 2, 59-61.

Volume 2: Number 2

- 43: TRAUZETTEL-KLOSINSKI, S., AND AULHORN, E., (1987), Measurement of brightness sensation caused by flickering light: a simple and highly specific test for assessing the florid stage of optic neuritis, 2, 63–82.
- 44: STABELL, B., NORDBY, K., AND STABELL, U., (1987), Light-adaptation of human rod system, 2, 83-91.
- 45: PORCIATTI, V., BAGNOLI, P., AND ALESCI, R., (1987), On and off activity in the retinal and tectal responses to focal stimulation with uniform or patterned stimuli, 2, 93-102.
- 46: Travis, D.S., Thompson, P.G., and Gil-Christ, J., (1987), Monocular diplopia in multiple sclerosis, 2, 103-110.
- 47: LINSENMEIER, R.A., SMITH, V.C., AND POKORNY, J., (1987), The light rise of the electrooculogram during hypoxia, 2, 111-116.
- 48: YOUNG, R.S.L., CLAVADETSCHER, J.E., AND TELLER, D.Y., (1987), Screening of red-green color-deficient observers using the chromatic pupillary response, 2, 117–122.
- 49: BEAUMONT, S.M., HARRIS, J.P., LEEN-DERTZ, J.A., AND PHILLIPSON, O.T., (1987), The pupillary light reflex in mild Parkinson's disease, 2, 123–129.
- 50: BARBUR, J.L., THOMSON, W.D., AND FOR-SYTH, P.M., (1987), A new system for the simultaneous measurement of pupil size and twodimensional eye movements, 2, 131–142.

Volume 2: Number 3

- 51: KERSTEN, D., HESS, R.F., AND PLANT, G.T., (1988), Assessing contrast sensitivity behind cloudy media, 2, 143-158.
- 52: ABRAHAMSSON, M., FRISÉN, M., AND SJÖ-STRAND, J., (1988), Statistical evaluation of contrast sensitivity function (CSF) in visual disorders - can diagnostic indices of CSF and acuity data be clinically useful?, 2, 159-167.

- RUBIN, G.S., (1988), Reliability and sensitivity of clinical contrast sensitivity tests, 2, 169–177.
- 54: TYTLA, M.E., AND BUNCIC, J.R., (1988), Optic nerve compression impairs low spatial frequency vision in man, 2, 179–186.
- Pelli, D.G., Robson, J.G., and Wilkins, A.J., (1988), The design of a new letter chart for measuring contrast sensitivity, 2, 187-199.
- 56: WILKINS, A.J., DELLA SALA, S., SOMAZZI, L., AND NIMMO-SMITH, I., (1988), Age-related norms for the Cambridge Low Contrast Gratings, including details concerning their design and use, 2, 201–212.
- 57: ARDEN, G.B., (1988), Testing contrast sensitivity in clinical practice, 2, 213–224.
- 58: BARBUR, J.L., (1988), Spatial frequency specific measurements and their use in clinical psychophysics, 2, 225–233.
- 59: REGAN, D., (1988), Low-contrast letter charts and sinewave grating tests in ophthalmological and neurological disorders, 2, 235–250.

Volume 2: Number 4

- 60: TYTLA, M.E., MAURER, D., LEWIS, T.L., AND BRENT, H.P., (1988), Contrast sensitivity in children treated for congenital cataract, 2, 251-264.
- 61: STEINMAN, S.B., LEVI, D.M., AND MCKEE, S.P., (1988), Discrimination of time and velocity in the amblyopic visual system, 2, 265–276.
- 62: GOTTLOB, I., AND HEIDER, W., (1988), Effect of hypothermia on pattern-visual-evoked-potentials and pattern-electroretinograms in optic neuritis, 2, 277-283.
- 63: CRINGLE, S.J., ALDER, V.A., AND YU, D.-Y., (1988), The distribution of ERG potentials on the sclera in vivo and in vitro, 2, 285-291.
- 64: TOBIMATSU, S., CELESIA, G.G., AND CONE, S.B., (1988), Effects of pupil diameter and luminance changes on pattern electroretinograms and visual evoked potentials, 2, 293–302.
- 65: ARDEN, G.B., GANDAZ, K., AND PERRY, S., (1988), Colour vision testing with a computer graphics system, 2, 303–320.
- 66: PLANT, G.T., AND WILKINS, A.J., (1988), Preserved movement sensitivity following occipital lobe damage: a case report of spatio-temporal contrast sensitivity in the Riddoch phenomenon, 2, 321-ξ. 9.
- 67: Sucs, F.E., and Verriest, G., (1988), Increment thresholds and spatial summation for monochromatic perimetric targets in retinitis pigmentosa, 2, 331–335.

Volume 3: Number 1

68: MORLEY, J.W., LINDSEY, J.W., AND JUDGE, S.J., (1988), Prism-adaptation in a strabismic monkey, 3, 1–8.

- 69: SHARPE, L.T., VAN NORREN, D., AND NORDBY, K., (1988), Pigment regeneration, visual adaptation and spectral sensitivity in the achromat, 3, 9-17.
- 70: WIOLAND, N., RUDOLF, G., AND BONAVEN-TURE, N., (1988), Iodate poisoning of the retina. A highly species-dependent process. Electrophysiological evidences, 3, 19–27.
- 71: ZRENNER, E., AND NELSON, R., (1988), Spatial characteristics of scotopic threshold responses in the corneally recorded electroretinogram elicited by multispot patterns, 3, 29-44.
- 72: SKRANDIES, W., AND LEIPERT, K.P., (1988), Visual field defects are not accompanied by electrophysiological evidence of transsynaptic retrograde degeneration, 3, 45–57.
- 73: MANNY, R.E., FERN, K.D., LOSHIN, D.S., AND MARTINEZ, A.T., (1988), The effects of practice on contour interaction, 3, 59-67.
- 74: GREENSTEIN, V.C., HOOD, D.C., SIEGEL, I.M., AND CARR, R.E., (1988), A possible use of rod-cone interaction in congenital stationary night blindness, 3, 69–74.
- 75: Moseley, M.J., and Fielder, A.R., (1988), Light toxicity and the neonatal eye, 3, 75–82.

Volume 3: Number 2

- 76: SCHAEFFEL, F., AND HOWLAND, H.C., (1988), Visual optics in normal and ametropic chickens, 3, 83–98.
- 77: WILDSOET, C.F., AND PETTIGREW, J.D., (1988), Experimental myopia and anomalous eye growth patterns unaffected by optic nerve section in chickens: evidence for local control of eye growth, 3, 99–107.
- 78: DAWIS, S.M., AND NIEMEYER, G., (1988), Similarity and diversity of monoamines in their effects on the standing potential, light peak and electroretinogram of the perfused cat eye, 3, 109-118.
- 79: GOURAS, P., AND MACKAY, C.J., (1988), Detecting early postchiasmatic visually evoked responses, 3, 119–124.
- 80: LAWTON, T.B., (1988), Improved word recognition for observers with age-related maculopathies using compensation filters, 3, 125-135.
- 81: Brannan, J.R., and Williams, M.C., (1988), The effects of age and reading ability on flicker threshold, 3, 137–142.
- 82: SCHOR, C.M., AND McLin JR, L.N., (1988), The effect of luminance on accommodative and convergence aftereffects, 3, 143–154.
- 83: LAKSHMINARAYANAN, V., AND ENOCH, J.M., (1988), The Macleod selective adaptation paradigm in cases with modest cataracts, 3, 155–156.

Volume 3: Number 3

- 84: Remé, C.E., Federspiel-Eisenring, E., Hoppeler, Th., Pfeilschifter, J., and Dietrich, C., (1988), Chronic lithium damages the rat retina. Acute light exposure potentiates the effect, 3, 157–172.
- 85: ARDITI, A., (1988), The volume visual field: A basis for functional perimetry, 3, 173–183.
- 86: BACH, M., GREENLEE, M.W., AND BÜHLER, B., (1988), Contrast adaptation can increase visually evoked potential amplitude, 3, 185-194.
- 87: Previc, F.H., (1988), The neurophysiological significance of the N1 and P1 components of the visual evoked potential, 3, 195–202.
- 88: WEINSTEIN, J.M., DRACK, A.V., VERHO-EVE, J.N., AND BALABAN, C.D., (1988), Saccade amplitude and direction influences on the human presaccadic potential, 3, 203–212.
- 89: CREWTHER, D.P., KIELY, P.M., McCar-THY, A., AND CREWTHER, S.G., (1988), Evaluation of paraxial photorefraction in screening a population of monkeys for refractive errors, 3, 213-220.
- 90: CREWTHER, S.G., NATHAN, J., KIELY, P.M., BRENNAN, N.A., AND CREWTHER, D.P., (1988), The effect of defocussing contact lenses on refraction in cynomolgus monkeys, 3, 221–228.
- DELL'OSSO, L.F., TRACCIS, S., ABEL, L.A., AND ERZURUM, S.I., (1988), Contact lenses and congenital nystagmus, 3, 229–232.

Volume 3: Number 4

- 92: Jaffe, M.J., Caruso, R.C., Koppelman, M.C.S., von Fricken, M.A., and Higgins, K.E., (1988), Chiasmal compromise: Neurosensory characteristics of incomplete recovery, 3, 233–241.
- 93: LEVI, D.M., YAP, Y.L., AND GREENLEE, M.W., (1988), Is amblyopia an anomaly of photopic vision?, 3, 243–254.
- 94: GERBER, U., AND NIEMEYER, G., (1988), β-adrenergic antagonists modify retinal function in the perfused cat eye, 3, 255–266.
- 95: SHARPE, L.T., VAN DEN BERGE, K., VAN DER TWEEL, L.H., AND NORDBY, K., (1988), The pupillary light reflex in a complete achromat, 3, 267-271.
- 96: Hobley, A.J., and Harding, G.F.A., (1988), The effect of eye closure on the flash visually evoked response, 3, 273-278.
- 97: GOTTLOB, I., AND STANGLER-ZUSCHROTT, E., (1988), Scotomas and pattern-electroretinograms in amblyopia, 3, 279–283.

- 98: ROBINSON, J., MOSELEY, M.J., AND FIELD-ER, A.R., (1988), Grating acuity cards: spurious resolution and the "edge artifact", 3, 285–288.
- 99: Barton, J., and Watt, R.J., (1988), An electronic oscilloscope spot diffuser for measuring neural blur, 3, 289-291.

Volume 4: Number 1

- 100: GLICKMAN, R.D., (1989), Prolonged activity of retinal ganglion cells following intense, nanosecond laser flashes, 4, 1–18.
- 101: Bodis-Wollner, I., Marx, M.S., and Ghilardi, M.F., (1989), Systemic haloperidol administration increases the amplitude of the light- and dark-adapted flash ERG in the monkey, 4, 19-26.
- 102: BLUMHARDT, L.D., BARRETT, G., HALLI-DAY, A.M., AND KRISS, A., (1989), The effect of field size on the pattern reversal visual evoked response (PRVER), 4, 27-40.
- 103: LOVASIK, J.V., AND KONIETZNY, E.A., (1989), The effect of retinal image quality on steady state pattern ERGs and VEPs, 4, 41–50.
- 104: LEGGE, G.E., ROSS, J.A., MAXWELL, K.T., AND LUEBKER, A., (1989), Psychophysics of reading - VII. Comprehension in normal and low vision, 4, 51-60.
- 105: WHITAKER, D., AND ELLIOTT, D.B., (1989), Towards establishing a clinical displacement threshold technique to evaluate visual function behind cataract, 4, 61-69.
- 106: MAGNUSSON, M., AND STRÖMBLAD, L.-G., (1989), Voluntary and vestibular eye movements in a case of lesion restricted to the anterior vermis cerebelli, 4, 71–78.
- 107: YINON, U., (1989), Hydrocephalus developed in cat: physiology of visual cortex cells, 4, 79–84.
- 108: CREEL, D.J., CRANDALL, A.S., PINGREE, C., AND RITVO, E.R., (1989), Abnormal electroretinograms in autism, 4, 85–88.
- 109: Zaidi, Q., Pokorny, J., and Smith, V.C., (1989), Sources of individual differences in anomaloscope equations for tritan defects, 4, 89–94.

Volume 4: Number 2

- 110: KIORPES, L., CARLSON, M.R., AND ALFI, D., (1989), Development of visual acuity in experimentally strabismic monkeys, 4, 95-106.
- 111: STRAUBE, A., PAULUS, W., QUINTERN, J., AND BRANDT, TH., (1989), Visual ataxia induced by eye movements: posturographic measurements in normals and patients with ocular motor disorders, 4, 107–113.
- 112: STANZIONE, P., PIERELLI, F., PEPPE, A., STEFANO, E., RIZZO, P.A., MOROCUTTI, C., AND BERNARDI, G., (1989), Pattern visual evoked

- potentials and electroretinogram abnormalities in Parkinson's disease: effects of L-dopa therapy, 4, 115–127
- 113: EVANS, N.M., FIELDER, A.R., AND MAYER, D.L., (1989), Ametropia in congenital cone deficiency-achromatopsia: a defect of emmetropisation?, 4, 129–136.
- 114: WILLIAMS, M.C., MOLINET, K., AND LE-CLUYSE, K., (1989), Visual masking as a measure of temporal processing in normal and disabled readers, 4, 137–144.
- 115: COLLINS, M., AND BROWN, B., (1989), Glare recovery and age related maculopathy, 4, 145–153.
- 116: COLLINS, M., AND BROWN, B., (1989), Glare recovery and its relation to other clinical findings in age related maculopathy, 4, 155–163.
- 117: HAEGERSTROM-PORTNOY, G., AND BROWN, B., (1989), Two-color increment thresholds in early age related maculopathy, 4, 165-172.
- 118: GONZÁLEZ, E.G., STEINBACH, M.J., ONO, H., AND WOLF, M.E., (1989), Depth perception in children enucleated at an early age, 4, 173–177.
- 119: MARX, M.S., WERNER, P., FRIDMAN, P., AND COHEN-MANSFIELD, J., (1989), Visual acuity estimates in the aged, 4, 179-182.

Volume 4: Number 3

- 120: VICTOR, J.D., MAIESE K., SHAPLEY, R., SIDTIS, J., AND GAZZANIGA, M.S., (1989), Acquired central dyschromatopsia: analysis of a case with preservation of color discrimination, 4, 183–196.
- 121: VINGRYS, A.J., KING-SMITH, P.E., AND BENES, S.C., (1989), Color perimetry can be more sensitive than achromatic perimetry, 4, 197-209.
- 122: TRAVIS, D.S., AND THOMPSON, P.G., (1989), "Good" and "bad" eyes in multiple sclerosis: it depends on the test used, 4, 211–219.
- 123: MASSOF, R.W., CHOY, D., SUNNESS, J.S., JOHNSON, M.A., RUBIN, G.S., AND FINE, S.L., (1989), Foveal threshold elevations associated with age-related drusen, 4, 221–227.
- 124: SARTUCCI, F., SCARDIGLI, V., AND MURRI, L., (1989), Visual evoked potentials and magnetic resonance imaging in the evaluation of preand retrochiasmatic lesions in multiple sclerosis, 4, 229-238.
- 125: GROSE, J., HARDING, G.F.A., WILTON, A.Y., AND BISSENDEN, J.G., (1989), The maturation of the pattern reversal VEP and flash ERG in pre-term infants, 4, 239–246.
- 126: BEDELL, H.E., WHITE, J.M., AND AB-PLANALP, P.L., (1989), Variability of foveations in congenital nystagmus, 4, 247-252.

- 127: VERRIEST, G., AND UVIJLS, A., (1989), Disability glare in normal and diseased eyes, 4, 253-256.
- 128: EMRE, M., GRONER, M., HOFER, D., GRONER, R., AND FISCH, H.-U., (1989), Effects of benzodiazepines on forward and backward visual masking, 4, 257–263.
- 129: MURAYAMA, K., ADACHI-USAMI, E., AND YAMADA, T., (1989), Effects of L-dopa on electroretinographic responses and pattern visual evoked cortical potentials in juvenile Parkinsonism. 4, 265–268.
- 130: Bobak, P., Bodis-Wollner, I., Guillory, S., and Anderson, R., (1989), Ageing differentially delays visual evoked potentials to checks and gratings, 4, 269–274.
- 131: AYLWARD, G.W., (1989), A simple method of fitting the Naka-Rushton equation, 4, 275–277.

Volume 4: Number 4

- 132: KIORPES, L., (1989), The development of spatial resolution and contrast sensitivity in naturally strabismic monkeys, 4, 279–293.
- 133: BIRCH, E.E., AND HALE, L.A., (1989), Operant assessment of stereoacuity, 4, 295–300.
- 134: KOTHE, A.C., AND LOVASIK, J.V., (1989), Neural effects of transiently raised intraocular pressure: the pattern visual evoked potential and the pattern electroretinogram, 4, 301–311.
- 135: LOVASIK, J.V., AND KOTHE, A.C., (1989), Neural effects of transiently raised intraocular pressure: the scotopic and photopic flash electroretinogram, 4, 313–321.
- 136: PORCIATTI, V., FALSINI, B., FADDA, A., AND BOLZANI, R., (1989), Steady-state analysis of the focal ERG to pattern and flicker: relationship between ERG components and retinal pathology, 4, 323–332.
- 137: AMBROSIO, G., ANDREONI, A., AND COLAS-ANTI, A., (1989), Pattern specific and luminance response: a temporal differentiation, 4, 333–340.
- 138: REESE, B.E., AND COWEY, A., (1989), The neurologic consequences of a sub-chiasmal tumour on the retino-geniculo-striate pathway of a macaque monkey, 4, 341–356.
- 139: ROY, M.-S., LACHAPELLE, P., AND LEPORÉ, F., (1989), Maturation of the optokinetic nystagmus as a function of the speed of stimulation in fullterm and preterm infants, 4, 357–366.
- 140: PAULUS, W., AND ZIHL, J., (1989), Visual stabilization of posture in a case with selective disturbance of movement vision after bilateral brain damage: real and apparent motion cues, 4, 367–371.

141: AYLWARD, G.W., VAEGAN, AND BILLSON, F.A., (1989), The scotopic threshold response in man, 4, 373-377.

Volume 5: Number 1

- 142: MASSOF, R.W., DAGNELIE, G., BENZSCHA-WEL, T., PALMER, R.W., AND FINKELSTEIN, D., (1990), First order dynamics of visual field loss in retinitis pigmentosa, 5, 1–26.
- 143: Denny, N., Frumkes, T.E., and Gold-Berg, S.H., (1990), Comparison of summatory and suppressive rod-cone interaction, 5, 27-36.
- 144: LEAT, S.J., AND MILLODOT, M., (1990), Contrast discrimination in normal and impaired human vision, 5, 37–43.
- 145: Bobier, W.R., (1990), Eccentric photorefraction: a method to measure accommodation of highly hypermetropic infants, 5, 45-60.
- 146: ASLIN, R.N., SHEA, S.L., AND METZ, H.S., (1990), Use of the Canon R-1 autorefractor to measure refractive errors and accommodative responses in infants, 5, 61-70.
- 147: SUTER, S., SUTER, P.S., AND DEEGAN II, J.F., (1990), Steady-state VEP phase stability and acuity in adults and infants, 5, 71-80.
- 148: CREEL, D.J., CONLEE, J.W., AND KING, R.A., (1990), Dark adaptation in human albinos, 5, 81–85.
- 149: CALVERT, J.E., HARRIS, J.P., AND PHILLIP-SON, O.T., (1990), Effects of L-dopa on the tilt aftereffect with differing stimulus contrast and test duration, 5, 87–93.
- 150: DAGNELIE, G., (1990), Conversion of planimetric visual field data into solid angles and retinal areas, 5, 95–100.

Volume 5: Number 2

- 151: JOOSSE, M.V., WILSON, J.R., AND BOOTHE, R.G., (1990), Monocular visual fields of macaque monkeys with naturally occurring strabismus, 5, 101–111.
- 152: Ball, K., Owsley, C., and Beard, B., (1990), Clinical visual perimetry underestimates peripheral field problems in older adults, 5, 113-125.
- 153: JARKMAN, S., AND NILSSON, S.E.G., (1990), Effects of isoproterenol on the d.c. electroretinogram and on the standing potential of the albino rabbit eye, 5, 127–132.
- 154: Heide, W., Blossfeldt, T.P., Koenig, E., and Dichgans, J., (1990), Optokinetic nystagmus, self-motion sensation and their aftereffects in patients with long-lasting peripheral visual field defects, 5, 133–143.

- 155: Heide, W., Koenig, E., and Dichgans, J., (1990), Optokinetic nystagmus, self-motion sensation and their aftereffects in patients with occipito-parietal lesions, 5, 145-156.
- 156: WINN, B., AND HERON, G., (1990), The temporal accommodation response in amblyopia, 5, 157–166.
- 157: HEERSEMA, D.J., AND VAN HOF-VAN DUIN, J., (1990), Age norms for visual acuity in toddlers using the acuity card procedure, 5, 167–174.
- 158: BOULTON, J.C., AND MULLEN, K.T., (1990), A case in which colour vision is no longer motion blind, 5, 175–184.
- 159: ZIHL, J., AND KERKHOFF, G., (1990), Foveal photopic and scotopic adaptation in patients with brain damage, 5, 185–195.
- 160: Goss, D.A., AND ERICKSON, P., (1990), Effects of charges in anterior chamber depth on refractive error of the human eye, 5, 197-201.

Volume 5: Number 3

- 161: Hess, R.F., Zihl, J., Pointer, J.S., and Schmid, Ch., (1990), The contrast sensitivity deficit in cases with cerebral lesions, 5, 203–215.
- 162: SHARP, D.M., ARDEN, G.B., KEMP, C.M., HOGG, C.R., AND BIRD, A.C., (1990), Mechanisms and sites of loss of scotopic sensitivity: a clinical analysis of congenital stationary night blindness, 5, 217–230.
- 163: LEWIS, T.L., MAURER, D., AND BRENT, H.P., (1990), The development of visual resolution in infants and toddlers tested monocularly with optokinetic nystagmus, 5, 231–241.
- 164: SOKOL, S., MOSKOWITZ, A., REESE, D., AND BROWN, B., (1990), Low contrast letter acuity in childhood amblyopia, 5, 243–247.
- 165: LOVIE-KITCHIN, J., MAINSTONE, J., ROBIN-SON, J., AND BROWN, B., (1990), What areas of the visual field are important for mobility in low vision patients?, 5, 249–263.
- 166: BARO, J.A., AND LEHMKUHLE, S., (1990), The effects of a luminance-modulated background on human grating-evoked cortical potentials, 5, 265-270.
- 167: BENEISH, R., LACHAPELLE, P., POLOMENO, R.C., AND LAKE, N., (1990), Pattern VEP differences in strabismic and anisometropic amblyopia, 5, 271–283.
- 168: DAWSON, W.W., ULSHAFER, R.J., PARMER, R., AND LEE, N.R., (1990), Receptor potentials in the normal and retinal degenerate (rd) chick, 5, 285–292.
- 169: HOOD, D.C., AND BIRCH, D.G., (1990), The relationship between models of receptor activity and the a-wave of the human ERG, 5, 293–297.

170: GOTTLOB, I., AND STRENN, K., (1990), Effect of levodopa on the human electrooculogram, 5, 299-306.

Volume 5: Number 4

- 171: KATZ, B., AND SIRETEANU, R., (1990), The Teller acuity card test: a useful method for the clinical routine?, 5, 307-323.
- 172: OWSLEY, C., SLOANE, M.E., SKALKA, H.W., AND JACKSON, C.A., (1990), A comparison of the Regan low-contrast letter charts and contrast sensitivity testing in older patients, 5, 325-334.
- 173: WILLIAMS, M.C., LECLUYSE, K., AND BOLOGNA, N., (1990), Masking by light as a measure of visual integration time in normal and disabled readers, 5, 335–343.
- 174: STABELL, U., STABELL, B., HISDAL, B., AND NORDBY, K., (1990), Rod and cone dark adaptation, 5, 345–351.
- 175: AYLWARD, G.W., JEFFREY, B.G., AND BILLSON, F.A., (1990), Normal variation and the effect of age on the parametric analysis of the intensity-response series of the scotopic electroretinogram, including the scotopic threshold response, 5, 353–362.
- 176: BIRCH, E.E., BIRCH, D.G., PETRIG, B., AND UAUY, R., (1990), Retinal and cortical function of very low birthweight infants at 36 and 57 weeks postconception, 5, 363-373.
- 177: GROSE, J., AND HARDING, G.F.A., (1990), The development of refractive error and pattern visually evoked potentials in pre-term infants, 5, 375–382.
- 178: ROBERTS, N., AND WESTALL, C., (1990), OKN asymmetries in amblyopia - their effect on velocity perception, 5, 383–389.
- 179: HITCHCOCK, E., AND TAIRA, T., (1990), Phosphenes elicited by intracerebral stimulation in man, 5, 391-400.
- 180: WEHRHAHN, C., HEIDE, W., AND PETERSEN, D., (1990), Long-range colour interactions in human visual cortex, 5, 401-406.
- 181: LUSTGARTEN, J.S., MARX, M.S., PODOS, S.M., BODIS-WOLLNER, I., CAMPEAS, D., AND SERLE, J.B., (1990), Contrast sensitivity and computerized perimetry in early detection of glaucomatous change, 5, 407-413.
- 182: DRASDO, N., THOMPSON, D.A., AND ARDEN, G.B., (1990), A comparison of pattern ERG amplitudes and nuclear layer in thickness in different zones of the retina, 5, 415–420.
- 183: LACHAPELLE, P., (1990), A possible contribution of the optic nerve to the photopic oscillatory potentials, 5, 421–426.

184: TOBIMATSU, S., SHIDOJI, K., MATSUNAGA, K., KURITA-TASHIMA, S., HIROMATSU, M., AND KATO, M., (1990), Changes in pupillary diameter to checkerboard pattern-reversal stimulation, 5, 427–431.

Volume 6: Number 1

- 185: NILSSON, U.L., (1990), Visual rehabilitation with and without educational training in the use of optical aids and residual vision. A prospective study of patients with advanced age-related macular degeneration, 6, 3–10.
- 186: Mehta, M., Katsumi, O., Sakaue, H., Hirose, T., and Rosenstein, R.B., (1990), Effect of artificial distortion on the pattern reversal visual evoked response, 6, 11–18.
- 187: TRIMARCHI, C., BIRAL, G., DOMENICI, L., PORCIATTI, V., AND BISTI, S., (1990), The flash-and pattern electroretinogram generators in the cat: a pharmacological approach, 6, 19–24.
- 188: Fox, B.E.S., AND WRIGHT, K.W., (1990), Pattern visual evoked potentials in children under general anesthesia and chloral hydrate, 6, 25–30.
- 189: VAN ORDEN, K.F., AND STURR, J.F., (1990), Age-related amplitude changes of the pattern reversal evoked potential depend on stimulus spatial frequency and contrast, 6, 31–37.
- 190: DOBSON, V., CARPENTER, N.A., BONVALOT, K., AND BOSSLER, J., (1990), The acuity card procedure: interobserver agreement in infants with perinatal complications, 6, 39–48.
- 191: SCASE, M.O., FOSTER, D.H., HONAN, W.P., HERON, J.R., GULLIFORD, M.C., AND SCARPELLO, J.H.B., (1990), Abnormalities in hue discrimination revealed with very brief stimuli in diabetes mellitus and in optic neuritis, 6, 49–57.
- 192: EARLY, F., AND SMITH, A.T., (1990), Spatial frequency discrimination in normal ageing and in one case of Alzheimer's disease, 6, 59-46.
- 193: WIOLAND, N., RUDOLF, G., AND BONAVEN-TURE, N., (1990), Generation of light and dark induced variations of the standing potential: effects of sodium aspartate in the chicken eye in vivo, 6, 65–71.
- 194: ZWARTS, M.J., KOOIJMAN, A.C., KALMA, L., AND LAKKE, J.P.W.F., (1990), Doubleflash electroretinography in Parkinson's disease, 6, 73–77.
- 195: WALI, N., AND LEGUIRE, L.E., (1990), On the method for fitting the Naka-Rushton equation. Corrections to Aylward (1989), 6, 79–79.
- 196: TELLER, D.Y., (1990), The design of acuity cards: a reply to Robinson, Moseley and Fielder (1988), 6, 81–83.

197: Moseley, M.J., Fielder, A.R., and Robinson, J., (1990), The design of acuity cards: comments on Teller (1990), 6, 85–86.

Volume 6: Number 2

- 198: HANKINS, M.W., AND IKEDA, H., (1990), The role of dopaminergic pathways at the outer plexiform layer of the mammalian retina, 6, 87–93.
- 199: NEWMAN, N.J., WOLFE, J.M., STEWART, M.I., AND LESSELL, S., (1991), Binocular visual function in patients with a history of monocular optic neuritis, 6, 95-107.
- 200: HOLOPIGIAN, K., SEIPLE, W.H., AND KU-PERSMITH, M.J., (1990), VEP threshold and suprathreshold deficits in amblyopia, 6, 109-117.
- 201: TURANO, K., (1991), Bisection judgments in patients with retinitis pigmentosa, 6, 119-130.
- 202: MAY, J.G., LOVEGROVE, W.J., MARTIN, F., AND NELSON, P., (1991), Pattern-elicited visual evoked potentials in good and poor readers, 6, 131-136.
- 203: STANZIONE, P., TAGLIATI, M., SILVESTRINI, M., PORCU, S., AND BERNARDI, G., (1991), Haloperidol delays pattern electroretinograms more than visual evoked potentials in normal humans: a pharmacological tool in Parkinson's disease pathophysiology, 6, 137–147.
- 204: SIEVING, P.A., (1991), Retinal ganglion cell loss does not abolish the scotopic threshold response (STR) of the cat and human ERG, 6, 149–158.
- 205: Bobak, P., Harrison, M., Higginbotham, E., and Goodwin, J., (1991), Contrast discrimination in glaucoma, 6, 159–163.
- 206: BAILEY, J., LAKSHMINARAYANAN, V., AND ENOCH, J.M., (1991), The Stiles-Crawford function in an aphakic subject with retinitis pigmentosa, 6, 165–170.

Volume 6: Number 3

- 207: SIEVING, P.A., AND WAKABAYASHI, K., (1991), Comparison of rod threshold ERG from monkey, cat and human, 6, 171-179.
- 208: Taub, H.A., and Sturr, J.F., (1991), The effects of age and ocular health on letter contrast sensitivity and high and medium contrast acuity as a function of luminance, 6, 181–189.
- 209: THORPE DAVIS, E., SHERMAN, J., BASS, S.J., AND SCHNIDER, C.M., (1991), Pre-surgical prediction of post-surgical visual function in cataract patients: multivariate statistical analyses of test measures, 6, 191–207.
- 210: TRICK, G.L., (1991), Pattern evoked retinal and cortical potentials in diabetic patients, 6, 209-217.

- 211: SCHEFRIN, B.E., ADAMS, A.J., AND WERNER, J.S., (1991), Anomalies beyond sites of chromatic opponency contribute to sensitivity losses of an S-cone pathway in diabetes, 6, 219–228.
- 212: HAEGERSTROM-PORTNOY, G., AND VERDON, W., (1991), Transient tritanopia in a blue cone monochromat, 6, 229-240.
- 213: Kind, P., Beaver, C., and Mitchell, D.E., (1991), Morphological changes induced in the lateral geniculate nucleus of kittens by regimens of part-time reverse occlusion that optimize the extent of behavioral recovery from early monocular deprivation, 6, 241–255.
- 214: STURR, J.F., TAUB, H.A., AND HALL, B.A., (1991), Foveal early dark adaptation in young and older observers in good ocular health, 6, 257–260.

Volume 6: Number 4

- 215: VICTOB, J.D., CONTE, M.M., AND IADECO-LA, C., (1991), Ocular dependence of hemifield visual evoked potentials: relevance to bilateral cortical representation of central vision, 6, 261–276.
- 216: SIRETEANU, R., (1991), Restricted visual fields in both eyes of kittens raised with a unilateral, surgically induced strabismus: relationship to extrastriate cortical binocularity, 6, 277-287.
- 217: Turano, K., and Schuchard, R.A., (1991), Space perception in observers with visual field loss, 6, 289-299.
- 218: DICKINSON, C.M., AND RABBITT, P.M.A., (1991), Simulated visual impairment: effects on text comprehension and reading speed, 6, 301–308.
- 219: YOUNG, R.S.L., (1991), Low-frequency component of the photopic ERG in patients with X-linked congenital stationary night blindness, 6, 309-315.
- 220: MURAYAMA, K., KUO, C.Y., AND SIEVING, P.A., (1991), Abnormal threshold ERG response in X-linked juvenile retinoschisis: evidence for a proximal retinal origin of the human STR, 6, 317–322.
- 221: Tyler, C.W., (1991), Stability of temporal sensitivity with nicotine, alcohol and progesterone intake, 6, 323–329.
- 222: BIRCH, E.E., AND SPENCER, R., (1991), Monocular grating acuity of healthy preterm infants, 6, 331–334.

Volume 6: Number 5

223: SMITH, J.C., ATKINSON, J., ANKER, S., AND MOORE, A.T., (1991), A prospective study of binocularity and amblyopia in strabismic infants before and after corrective surgery: implications for the human critical period, 6, 335–353.

- 224: PARDHAN, S., AND ELLIOTT, D.B., (1991), Clinical measurements of binocular summation and inhibition in patients with cataract, 6, 355-359.
- 225: ENOCH, J.M., KHAMAR, B.M., AND LAK-SHMINARAYANAN, V., (1991), Static and kinetic perimetric field defects in Gilles de la Tourette Syndrome: quantifying step-like visual field defects, 6, 361-369.
- 226: ENOCH, J.M., KHAMAR, B.M., AND LAK-SHMINARAYANAN, V., (1991), Changes in steplike field defects in Gilles de la Tourette syndrome measured after a period of one year, 6, 371–377.
- 227: KOOIJMAN, A.C., HOUTMAN, W.A., ASS-INK, J.H., VAN BEUKERING, L.J.B., WOLD, E.S., AND DAMHOF, A., (1991), Spectral sensitivity function of the a-wave of the human electroretinogram in the dark-adapted eye, 6, 379-383.
- 228: ABADI, R.V., AND WORFOLK, R., (1991), Harmonic analysis of congenital nystagmus waveforms, 6, 385–388.
- 229: ZRENNER, E., (1991), Should letter charts be used to measure contrast sensitivity?, 6, 389–389.
- 230: LEGUIRE, L.E., (1991), Do letter charts measure contrast sensitivity?, 6, 391-400.
- 231: REGAN, D., (1991), Do letter charts measure contrast sensitivity?, 6, 401-408.
- 232: PELLI, D.G., AND ROBSON, J.G., (1991), Are letters better than gratings?, 6, 409-411.

Volume 6: Number 6

- 233: SEIPLE, W.H., AND HOLOPIGIAN, K., (1991), Nonlinearities in the focal electroretinogram, 6, 413-421.
- 234: FALSINI, B., COLOTTO, A., PORCIATTI, V., BUZZONETTI, L., COPPE, A., AND DE LUCA, L.A., (1991), Macular flicker- and pattern-ERGs are differently affected in ocular hypertension and glaucoma, 6, 423–429.
- 235: Bucci, M.G., Pairisi, V., Giannini, R., and Rossini, P.M., (1991), Recordings of visual evoked potentials after photostress in artificially increased intraocular pressure, 6, 431–436.
- 236: MARTINELLI, V., FILIPPI, M., MESCHI, F., POZZA, G., CANAL, N., AND COMI, G.C., (1991), Electrophysiological study of optic pathways in insulin dependent diabetes mellitus, 6, 437-443.
- 237: Shirao, Y., Okumura, T., Ohta, T., and Kawasaki, K., (1991), Clinical importance of electroretinographic oscillatory potentials in early detection and objective evaluation for diabetic retinopathy, 6, 445–450.
- 238: REICH, L., LAKSHMINARAYANAN, V., AND ENOCH, J.M., (1991), Analysis of the method of

- adjustment for testing potential acuity with the hyperacuity gap test a preliminary report, 6, 451-456.
- 239: WATKINS, R., COKER, T., AND BUCKING-HAM, T.J., (1991), Optic neuritis elevates hyperacuity thresholds for oscillatory movement, 6, 457-462.
- 240: EBENHOLTZ, S.M., (1991), Effects of ocularvergence stress on adaptation of tonic accommodation, 6, 463–469.
- 241: ELLIOTT, D.B., BULLIMORE, M.A., AND BAILEY, I.L., (1991), Improving the reliability of the Pelli-Robson contrast sensitivity test, 6, 471-475.

Volume 7: Number 1

- 242: GREENSTEIN, V.C., AND HOOD, D.C., (1992), The effects of light adaptation on L-cone sensitivity in retinal disease, 7, 1-7.
- 243: ASI, H., LEIBU, R., AND PERLMAN, I., (1992), Frequency-domain analysis of the human corneal electroretinogram, 7, 9-19.
- 244: Bray, L.Ch., MITCHELL, K.W., Howe, J.W., AND GASHAU, A., (1992), Visual function in glaucoma: a comparative evaluation of computerised static perimetry and the pattern visual evoked potential, 7, 21-29.
- 245: DICKINSON, C.M., AND ABADI, R.V., (1992), Suprathreshold contrast perception in congenital nystagmus, 7, 31–37.
- 246: Rizzo, M., and Hurtig, R., (1992), Visual search in hemineglect: what stirs idle eyes?, 7, 39-52.
- 247: SLAGHUIS, W.L., LOVEGROVE, W.J., AND FREESTUN, J., (1992), Letter recognition in peripheral vision and metacontrast masking in dyslexic and normal readers, 7, 53–65.
- 248: MAY, J.G., DUNLAP, W.P., AND LOVE-GROVE, W.J., (1992), Factor scores derived from visual evoked potential latencies differentiate good and poor readers, 7, 67–70.

Volume 7: Number 2

- 249: JARKMAN, S., (1992), Effects of vasoactive intestinal peptide (VIP) on the d.c. ERG and on the standing potential of albino rabbit eyes, 7, 71–76.
- 250: HANKINS, M.W., AND IKEDA, H., (1992), Similarity of the effects of hypoxia and Lglutamate on the electroretinogram, 7, 77–82.
- 251: ROENNEBERG, T., LOTZE, M., AND VON STEINBÜCHEL, N., (1992), Diurnal variation in human visual sensitivity determined by incremental thresholds, 7, 83-91.

- 252: SPILEERS, W., MAES, H., VAN HULLE, M., MISSOTTEN, L., AND ORBAN, G.A., (1992), Contrast modulated steady state visual evoked potentials (CMSS VEPs) measuring static and dynamic contrast sensitivity, 7, 93–106.
- 253: SIRETEANU, R., KATZ, B., MOHN, G., AND VITAL-DURAND, F., (1992), Teller acuity cards for testing visual development and the effects of experimental manipulation in macaques, 7, 107-117.
- 254: CALVERT, J.E., HARRIS, J.P., AND PHILLIP-SON, O.T., (1992), Probing the visual system of Parkinson's disease and chronic schizophrenic patients on depot neuroleptic using the tilt aftereffect, 7, 119–127.
- 255: STRAUMANN, D., AND HENN, V., (1992), Open-loop syndrome: one plegic and one amaurotic eye, 7, 129–132.
- 256: FIORENTINI, A., BERARDI, N., FALSINI, B., AND PORCIATTI, V., (1992), Interhemispheric transfer of visual perceptual learning in callosal agenesis, 7, 133-141.
- 257: COCKER, K.D., AND MOSELEY, M.J., (1992), Visual acuity and the pupil grating response, 7, 143–146.
- 258: Sucs, F.E., and Uvijls, A., (1992), Contrast sensitivity in retinitis pigmentosa at different luminance levels, 7, 147–151.
- 259: WYATT, H.J., (1992), A hypothesis concerning the relationsip between retinotopy in the optic nerve head and perimetry, 7, 153-161.

Volume 7: Number 3

- 260: Alkhateeb, W., Bromley, J.M., Humphreys, G.W., Javadnia, A., Riddoch, M.J., and Ruddock, K.H., (1992), Abnormal responses to multi-element spatial stimuli in a subject with visual form agnosia, 7, 163–173.
- 261: Scheidler, W., Landis, T., Rentschler, I., Regard, M., and Baumgartner, G., (1992), A pattern recognition approach to visual agnosia, 7, 175-193.
- 262: Tusa, R.J., Zee, D.S., Hain, T.C., and Simonsz, H.J., (1992), Voluntary control of congenital nystagmus, 7, 195–210.
- 263: LEWIS, T.L., MAURER, D., SMITH, R.J., AND HASLIP, J.K., (1992), The development of symmetrical optokinetic nystagmus during infancy, 7, 211-218.
- 264: Katz, B., and Sireteanu, R., (1992), Development of visual acuity in kittens: a comparison between jumping stand and Teller Acuity Card test, 7, 219–224.
- 265: Bobier, W.R., Schmitz, P., Strong, G., Knight, J., Widdersheim, K., and Howland, H.C., (1992), Comparison of three photorefractive

- methods in a study of a developmentally handicapped population, 7, 225–235.
- 266: KERGOAT, H., AND LOVASIK, J.V., (1992), Diurnal test-retest reliability of white flash scotopic oscillatory potentials during altered vascular perfusion pressure, 7, 237–246.
- 267: KUPERSMITH, M.J., GUPTA, K., SEIPLE, W.H., AND HOLOPIGIAN, K., (1992), Optic atrophy fails to alter the flash electroretinogram, 7, 247-250.
- 268: Getz, L., Dobson, V., and Luna, B., (1992), Grating acuity development in 2-weekold to 3-year-old children born prior to term, 7, 251-256.
- 269: GONZÁLEZ, E.G., STEINBACH, M.J., ONO, H., AND RUSH-SMITH, N., (1992), Vernier acuity in monocular and binocular children, 7, 257–261.

Volume 7: Number 4

- 270: Odom, J.V., Holder, G.E., Feghali, J.G., and Cavender, S., (1992), Pattern electroretinogram intrasession reliability: a two center comparison, 7, 263–281.
- 271: BRODIE, S.E., AND CONTE, M.M., (1992), Dependence of the pattern-ERG on variations of the stimulus pattern, 7, 283-291.
- 272: KORTH, M., AND HORN, F., (1992), Color contrast mechanisms in the human pattern ERG, 7, 293-304.
- 273: VAEGAN, (1992), Electroretinograms and pattern electroretinograms of pigmented and albino rabbits, 7, 305–311.
- 274: Bradshaw, K., (1992), Early onset of abnormality of the pattern-evoked ERG in patients with optic neuritis, 7, 313–325.
- 275: Bach, M., Gerling, J., and Geiger, K., (1992), Optic atrophy reduces the pattern electroretinogram for both fine and coarse stimulus patterns, 7, 327–333.
- 276: BACH, M., PFEIFFER, N., AND BIRKNER-BINDER, D., (1992), Pattern electroretinogram reflects diffuse retinal damage in early glaucoma, 7, 335–340.
- 277: FALSINI, B., COLOTTO, A., PORCIATTI, V., AND PORRELLO, G., (1992), Follow-up study with pattern ERG in ocular hypertension and glaucoma patients under timolol maleate treatment, 7, 341–347.
- 278: PRAGER, T.C., MINCHER, C.A., MARSHAK, D.W., AND GARCIA, C.A., (1992), The effect of laser on the pattern electroretinogram: a primate model, 7, 349–356.

Volume 7: Number 5

279: BOULTON, J.C., AND BAKER JR., C.L., (1992), Spatial frequency selectivity of motion mechansims in optic neuritis: a detailed study of two cases, 7, 357–370.

- 280: MADDESS, T., AND HENRY, G.H., (1992), Performance of nonlinear visual units in ocular hypertension and glaucoma, 7, 371-383.
- 281: MURAYAMA, K., AND SIEVING, P.A., (1992), Different rates of growth of monkey and human photopic a-, b-, and d-waves suggest two sites of ERG light adaptation, 7, 385–392.
- 282: BUSH, R.A., AND REMÉ, C.E., (1992), Chronic lithium treatment induces reversible and irreversible changes in the rat ERG in vivo, 7, 393-401.
- 283: LACHAPELLE, P., AND LITTLE, J.M, (1992), Abnormal light-adaptation of the electroretinogram in some carriers of choroideremia, 7, 403-411.
- 284: TÖRÖK, B., MEYER, M., AND WILDBERGER, H., (1992), High frequency components of luminance and pattern evoked electroretinograms, 7, 413-419.
- 285: TREUTWEIN, B., AND RENTSCHLER, I., (1992), Double-pulse resolution in the visual field: the influence of temporal stimulus characteristics, 7, 421–434.
- 286: NGUYEN-LEGROS, J., DURAND, J., AND SI-MON, A., (1992), Catecholamine cell types in the human retina, 7, 435-447.
- 287: TANABE, J., SEGAWA, Y., SHIRAO, Y., KAWASAKI, K., AND FUJII, S., (1992), Bicarbonate-induced response from the retinal pigment epithelium as a clinical test - I. Normative data, 7, 449-454.
- 288: VAN DEN BROM, H.J.B., KOOIJMAN, A.C., AND BLANKSMA, L.J., (1992), The influence of target size on the contrast sensitivity function determined with the vistech VCTS 6500 chart, 7, 455-457.
- 289: DAGNELIE, G., (1992), Conversion of planimetric visual field data: correction and improvement of the polynomial fit, 7, 459–460.

Volume 7: Number 6

- 290: WOLF, S., AREND, O., TOONEN, H., BERTRAM, B., AND REIM, M., (1992), Measurement of retinal micro- and macrocirculation in patients with diabetes mellitus with scanning laser ophthalmoscopy, 7, 461–469.
- 291: PÁMER, Z., AND NASEMANN, J.E., (1992), Reproducibility of retinal circulation times measured by digital image processing techniques on scanning laser ophthalmoscope angiograms, 7, 471–479.
- 292: DREHER, A.W., AND REITER, K., (1992), Retinal laser ellipsometry: a new method for measuring the retinal nerve fiber layer thickness distribution, 7, 481–488.
- 293: ELSNER, A.E., BURNS, S.A., AND WEITER, J.J., (1992), Reflectometry in retinal tears and detachments, 7, 489-500.

- 294: VAN MEEL, G.J., VAN NORREN, D., AND VAN DE KRAATS, J., (1992), Scanning laser densitometry in two patients with retinitis pigmentosa, 7, 501-509.
- 295: SCHUCHARD, R.A., AND RAASCH, T.W., (1992), Retinal locus for fixation: pericentral fixation targets, 7, 511-520.
- 296: Chen, J.-F., Elsner, A.E., Burns, S.A., Hansen, R.M., Lou, P.L., Kwong, K.K., and Fulton, A.B., (1992), The effect of eye shape on retinal responses, 7, 521–530.
- 297: LE GARGASSON, J.-F., RIGAUDIERE, F., GUEZ, J.-E., SCHMITT, D., AND GRALL, Y., (1992), Value of scanning laser ophthalmoscopy in the evaluation of the visual function of 47 patients with moderate cataracts associated with maculopathy I. Value of scanning laser ophthalmoscopy in the evaluation of optotype reading capacities, 7, 531–540.
- 298: RIGAUDIERE, F., LE GARGASSON, J.-F., GUEZ, J.-E., AND GRALL, Y., (1992), Value of scanning laser ophthalmoscopy in the evaluation of the visual function of 47 patients with moderate cataracts associated with maculopathy - II. Value of focal visual evoked cortical potentials in macular functional evaluation, 7, 541-549.
- 299: Ott, D., and Daunicht, W.J., (1992), Eye movement measurement with the scanning laser ophthalmoscope, 7, 551–556.
- 300: LAKSHMINARAYANAN, V., KNOWLES, R.A., ENOCH, J.M., AND VASUDEVAN, R., (1992), Measurement of fixational stability while performing a hyperacuity task using the scanning laser ophthalmoscope: preliminary studies, 7, 557–563.

Volume 8: Number 1

- 301: NGUYEN-LEGROS, J., HARNOIS, C., DI PAOLO, TH., AND SIMON, A., (1993), The retinal dopamine system in Parkinson's disease, 8, 1-12.
- 302: SPAFFORD, M.M., NURANI, A., AND FLANA-GAN, J.G., (1993), Suitable colour flash filters for ERG testing: a comparative study, 8, 13–20.
- 303: SPILEERS, W., FALCAO-REIS, F., SMITH, R., HOGG, C.R., AND ARDEN, G.B., (1993), The human ERG evoked by a ganzfeld stimulator powered by red and green light emitting diodes, 8, 21–39.
- 304: BRIGELL, M.C., AND MARCHESE, A.L., (1993), The luminance-amplitude function of simultaneously recorded flash visual evoked potential and electroretinogram, 8, 41–46.
- 305: BENEDEK, G., JANÁKY, M., ADAMKOVICH, N., RUBICSEK, G., AND SÁRY, G., (1993), Scotopic pattern-reversal visual evoked potentials, 8, 47–54.

- 306: HAMER, R.D., NORCIA, A.M., OREL-BIXLER, D.A., AND HOYT, C.S., (1993), Motion VEPs in late-onset esotropia, 8, 55-62.
- 307: ZANKER, J.M., AND MOHN, G., (1993), On the development of motion perception in human infants, 8, 63-71.
- 308: Currie, D.C., Bedell, H.E., and Song, S., (1993), Visual acuity for optotypes with image motions simulating congenital nystagmus, 8, 73-84.
- 309: HARRIS, C.M., JACOBS, M., SHAWKAT, F., AND TAYLOR, D., (1993), The development of saccadic accuracy in the first seven months, 8, 85–96.
- 310: SAVAGE, G.L., HAEGERSTROM-PORTNOY, G., ADAMS, A.J., AND HEWLETT, S.E., (1993), Age changes in the optical density of human ocular media, 8, 97–108.
- 311: YAO, K., FLAMMER, J., AND HENDRICKSON, P., (1993), Influence of pupil size on Opacity Lens Meter (701) measurements, 8, 109–111.

Volume 8: Number 2

- 312: SMITH III, E.L., CHINO, Y.M., HARWERTH, R.S., RIDDER III, W.H., CRAWFORD, M.L.J., AND DESANTIS, L., (1993), Retinal inputs to the monkey's lateral geniculate nucleus in experimental glaucoma, 8, 113–139.
- 313: BUCKINGHAM, T.J., AND YOUNG, S.A., (1993), Changes in retinal function with duration of diabetes mellitus, 8, 141-145.
- 314: Sannita, W.G., Balestra, V., Di Bon, G., Gambaro, M., Malfatto, L., and Rosadini, G., (1993), Spontaneous variations of flash-electroretinogram and retinal oscillatory potentials in healthy volunteers are correlated to serum glucose, 8, 147–158.
- 315: PERLMAN, I., LEIBU, R., AND BARTH, J., (1993), Night blindness: a new type with abnormal properties of the electroretinogram, 8, 159–169.
- 316: WRIGSTAD, A., AND NILSSON, S.E.G., (1993), A slow negative potential in the d.c. electroretinogram of patients with congenital stationary night blindness, 8, 171–176.
- 317: NARFSTROM, K., IVERT, L., YAMAMOTO, S., AND GOURAS, P., (1993), Adaptation of rod and cone electroretinograms in the Abyssinian cat hereditary rod-cone degeneration, 8, 177–185.
- 318: SLAGHUIS, W.L., AND PINKUS, S.Z., (1993), Visual backward masking in central and peripheral vision in late-adolescent dyslexics, 8, 187–199.
- 319: CAPILLA, P., AND AGUILAR, M., (1993), AVICO "Color Vision Analyzer": a new apparatus for different studies on human color vision, 8, 201–206.

320: Beck, R.W., Diehl, L., Cleary, P.A., AND THE OPTIC NEURITIS STUDY GROUP, (1993), The Pelli-Robson letter chart: normative data for young adults, 8, 207-210.

Volume 8: Number 3

- 321: STRASBURGER, H., MURRAY, I.J., AND REMKY, A., (1993), Sustained and transient mechanisms in the steady-state visual evoked potential: onset presentation compared to pattern reversal, 8, 211–234.
- 322: SHAWKAT, F., BARRETT, G., LAWSON, J., POTTS, M., FELLS, P., AND LIGHTMAN, S., (1993), The role of macular- and paramacular-derived visual evoked potentials in the detection of dysthyroid optic neuropathy, 8, 235-244.
- 323: JOHANSSON, B., AND JAKOBSSON, P., (1993), VEP latency - a comparison between normal and defective binocularity, 8, 245-251.
- 324: HISS, P., BACH, M., AND KOMMERELL, G., (1993), The flicker test in the diagnosis of optic neuritis, 8, 253–262.
- 325: ABDOLVAHAB-EMMINGER, H.A., AND SIRE-TEANU, R., (1993), Residual visual properties in human amplyopia after monocular deprivation in early life, 8, 263–279.
- 326: TROSCIANKO, T., AND CALVERT, J.E., (1993), Impaired parallel visual search mechanisms in Parkinson's disease: implications for the role of dopamine in visual attention, 8, 281–287.
- 327: TIAN, S., AND LENNERSTRAND, G., (1993), Effect of dark adaptation on eye movement recordings by means of electrooculography, 8, 289-294.
- 328: LENNERSTRAND, G., TIAN, S., AND ZHAO, T.-X., (1993), Force development and velocity of human saccadic eye movements - I. Abduction and adduction, 8, 295–305.
- 329: Tian, S., and Lennerstrand, G., (1993), Force development and velocity of human saccadic eye movements - II. Elevation and depression, 8, 307–315.
- 330: VAN'T ENT, D., BOUR, L.J., AND BRANS, J., (1993), Peak velocities of saccades and short latency saccades in Parinaud's syndrome, 8, 317-327.

Volume 8: Number 4

- 331: BIRCH, D.G., ANDERSON, J.L., AND BIRCH, E.E., (1993), Early abnormalities of rod function in children with X-linked retinitis pigmentosa, 8, 329-335.
- 332: GWIAZDA, J., THORN, F., BAUER, J., AND HELD, R., (1993), Emmetropization and the progression of manifest refraction in children followed from infancy to puberty, 8, 337–344.

- 333: MASON, A., CORNELISSEN, P., FOWLER, S., AND STEIN, J., (1993), Contrast sensitivity, ocular dominance and specific reading disability, 8, 345–353.
- 334: ENGLER, U., ZIHL, J., AND PÖPPEL, E., (1993), Incongruity of homonymous visual field defects, 8, 355–363.
- 335: FREDERIKSEN, J.L., LARSSON, H.B.W., AND ZRENNER, E., (1993), Spectral sensitivity of visual evoked potentials elicited by shifting monochromatic checkerboard patterns - I. Normal observers, 8, 365–374.
- 336: FREDERIKSEN, J.L., LARSSON, H.B.W., PAULUS, W., AND ZRENNER, E., (1993), Spectral sensitivity of visual evoked potentials elicited by shifting monochromatic checkerboard patterns - II. Patients with multiple sclerosis, 8, 375–383.
- 337: TRAUZETTEL-KLOSINSKI, S., AXMANN, D., AND DIENER, H.CH., (1993), The Tübingen study on optic neuritis treatment - a prospective, randomized and controlled trial, 8, 385–394.

Volume 8: Number 5

- 338: DOBSON, V., AND LUNA, B., (1993), Prototype and Teller acuity cards yield similar acuities in infants and young children despite stimulus differences, 8, 395-400.
- 339: WOODS, R.L., AND THOMSON, W.D., (1993), A comparison of psychometry methods for measuring the contrast sensitivity of experienced observers, 8, 401-415.
- 340: GOTTLOB, I., WIZOV, S.S., ODOM, J.V., AND REINECKE, R.D., (1993), Predicting optotype visual acuity by swept spatial visual evoked potentials, 8, 417–423.
- 341: KELLNER, U., ZRENNER, E., SADOWSKI, B., AND FOERSTER, M.H., (1993), Enhanced S-cone sensitivity syndrome: long-term follow-up, electrophysiological and psychophysical findings, 8, 425-434.
- 342: PORCIATTI, V., AND FALSINI, B., (1993), Inner retina contribution to the flicker electroretinogram: a comparison with the pattern electroretinogram, 8, 435–447.
- 343: WORFOLK, R., BARNES, G.R., AND GRE-ALY, M.A., (1993), The effects of a structured background and intermittent target illumination on ocular pursuit in subjects with Parkinson's disease, 8, 449–459.
- 344: Casco, C., (1993), Visual processing of static and dynamic information in disabled readers, 8, 461–471.
- 345: PORTER, F.I., GOLDBERG, J., WHITE, J.M., AND KOVAL, A.V., (1993), Role of clinical factors in the outcome of low vision rehabilitation with telescope spectacles, 8, 473–479.

346: Papakostopoulos, D., Barber, C., and Dean-Heart, J.C., (1993), The sampling properties of different types of ERG electrode, 8, 481–488.

Volume 8: Number 6

- 347: HIRSCH-HOFFMANN, CH., AND NIEMEYER, G., (1993), Changes in plasma glucose level affect rod-, but not cone-ERG in the anesthetized cat, 8, 489–501.
- 348: PRZYBYSZEWSKI, A.W., GRÜSSER, O.-J., HEUSSER, E., AND SUCHER, N., (1993), Changes in the cat ERG and in the ERG intensity function after chronic replacement of the vitreous body by silicone oil, 8, 503-512.
- 349: MÄTTIG, W.-U., AND HANITZSCH, R., (1993), The ERG and light-induced extracellular potassium changes of the isolated superfused RCS rat retina, 8, 513–518.
- 350: GOURAS, P., MACKAY, C.J., ROY, M., AND YAMAMOTO, S., (1993), Brain responses of shortwavelength cones, 8, 519-527.
- 351: ONOFRJ, M., FULGENTE, T., MALATESTA, G., AND FERRACCI, F., (1993), Visual evoked potentials (VEPs) to altitudinal stimuli: effects of stimulus manipulations on VEP scalp topography, 8, 529-544.
- 352: MIZUNOYA, S., MURAYAMA, K., AND ADA-CHI-USAMI, E., (1993), Scotopic visually evoked potentials in patients with retinitis pigmentosa and macular disease, 8, 545–550.
- 353: Culham, L.E., Fitzke, F.W., Timber-Lake, G.T., and Marshall, J., (1993), Assessment of fixation stability in normal subjects and patients using a scanning laser ophthalmoscope, 8, 551-561.
- 354: WOOD, J.M., DIQUE, T., AND TROUTBECK, R., (1993), The effect of artificial visual impairment on functional visual field and driving performance, 8, 563-575.
- 355: BADCOCK, J.C., (1993), Sensitivity to contrast and degree of risk for schizophrenia, 8, 577–589.
- 356: Lewis, T.L., Reed, M.J., Maurer, D., Wyngaarden, P.A., and Brent, H.P., (1993), An evaluation of acuity card procedures, 8, 591-602.
- 357: JÄNICKE, B., AND SCHULZ, E., (1993), Grating acuity in normal infants: influence of test field size, 8, 603–607.
- 358: WILHELM, H., AND FAHLE, M., (1993), Lack of naso-temporal asymmetry in the central visual field of normal subjects, 8, 609-612.

